




Winches

Liftstar portable air winch

Liftstar Portable Air Winch

300 - 1.500 kg



Ideal for:



Mining



Heavy construction



Marine

Liftstar portable air winch

With a tough, yet compact design, Ingersoll Rand Liftstar portable winches are easy to carry.

The irrugged gear motors have only two moving parts which makes them virtually maintenance free even after being stored.

They are easy to transport wherever you need them and rugged enough to give you the lifting power you need no matter how harsh the conditions.

Lifting Ratings at 5:1 design factor and performance at 6.3 bar at air inlet when winch is operating

Model	Line Pull Capacity kg			Lifting Speed at Top Layer ⁽¹⁾	Air Consumption with Rated Load	Air Volume Need to Move Rated Load at Top Layer	Sound Level as per EN 14492-1	Drum Capacity ⁽²⁾		Net Weight
	First Layer	Mid Drum	Top Layer	m/min	m ³ /min	3 m	dB	Max Rope Length m	Rope Diameter mm	kg
LS2-300R-L	300	300	300	40	4	0,3	92	150	5	42
LS2-300RGC-L								307		49
LS2-600R-L	600	600	600	20	4	0,6	92	89	6,5	42
LS2-600RGC-L								183		49
LS2-1500RGC-L	1500	1500	1500	10	4,8	1,5	90	61	10	67
LS2-1500RGC-L								128		79

(1) Top layer speed is based on rated capacity

(2) Wire rope is tightly wound with no freeboard.

Dimensions shown are mm. Dimensions are subject to chang. Contact factory for certified drawings.

VINCA products

- Bridges crane and gantry cranes
- Jib cranes
- Hoists and winches
- Scissor Tables and scissor lifts
- Elevators/Lifts for loads (PLT)
- Dock levelers
- Moving Dock levelers (RMC)
- Coats Furniture
- Wheel-lok (Vehicle Immobilizer)
- Safety equipment for docks
- Vacuum lifters VACU-LIFT
- Industrial Manipulators
- Pallet Inverters /Tippers
- Levelers NIVELMATIC
- Tilters inclinador
- Skips
- Industrial fans
- Industrial flexible doors, high speed doors
- Cold storage doors
- Fire doors
- Safety gates DOK-GUARDIAN
- Festoon for mobile equipment
- Lifting appliances
- Industrial Radio Controls
- After Sales Service for above equipment

 ATEX classified equipment as option.



C/ Técnica, 39
Pol. Ind. Torre Bovera
08740 St. Andreu de la Barca
BARCELONA
www.vinca.es



BARCELONA

Tel 93 635 61 20
Fax 93 635 61 30
info@vinca.es

MADRID

Tel: (+34) 616 91 69 82
madrid@vinca.es

VALENCIA

Tel: (+34) 647 817 537
valencia@vinca.es

GALICIA

Tel: (+34) 648 923 832
galicia@vinca.es