





Bridge and gantry cranes Black crane kit



Blackline

Sometimes performance only comes up if you are focused on the basics.

This is exactly the idea which is behind the BLACKLINE by SWF Krantechnik.

A vast number of established and top-rated components arisen from the own engineering design with outstanding technologies are assigned for power and a long life. All components and products made from this meet the European safety standards.

Furthermore, you can trust the experience and know-how of a worldwide operating company in a German tradition.

The BLACKLINE by SWF Krantechnik sets its priorities on a high quality and attractive cost effectiveness. Reliable power and an elaborate technology make the BLACKLINE unique for all who want to avoid bigger investments in a high-quality crane.





NOVA BLACKLINE


The NOVA BLACKLINE is constructed for the economic lifting of charges. It is safe, reliable and based on a proven technological design. It combines a strong hoist with an attractive price.

High quality, long life and performance are the NOVA BLAC-KLINE's genetic basis. It covers a wide spectrum of load handling with an ultimate load of 20 tons. The NOVA BLACKLINE is an uncompromising and robust powerhouse, reduced to the essentials.

NOVA BLACKLINE - JUST POWER, SIMPLY SAFE



Thanks to the radio remote control, a safe and wireless operation of both the crane and the load is not rocket science.



VINCA EQUIPOS INDUSTRIALES

Black crane kit

NOVA BLACKLINE

Single girder trolley up to 12,5 t

The NOVA BLACKLINE meets the high demands of a SWF hoist in safety, quality and reliability.

The crane construction based on the essentials provides a robust and hardwearing technology for an attractive price.


The NOVA BLACKLINE offers an easy handling in installation and maintenance.

Its fine electric wire rope hoist also meets the high European safety standards..

- Ultimate load from 2 to 12.5 tons and a lifting height up to 12 meters
- Optimal space and land utilization due to compact headroom and optimum hook dimension
- · Minimized attrition of rope by a big drum diameter
- · Robust contactor control for hoist motor and trolley motor
- · Mechanical overload protection protects crane and building structure
- Plug & play quick and easy installation and maintenance
- Overheat protection at hoist motor prevents his damage









Тур	Load [kg]	FEM	ISO	Lifting height [m]	Lifting speed [m/min]	Trolley speed [m/min]
NOVA BB 04	2,000	2m	M5	6	5/0.8	20/5
				9.5		
	2,500	3m	M6	6		
				9.5		
	3,200	2m	M5	6		
				9.5		
NOVA BC 04	4,000	3m	M6	6		
				9		
	5,000	2m	M5	6		
				9		
	6,300	1Am	M4	6	4/0.7	
				9		
NOVA BD 04	8,000	3m	M6	9	5/0.8	
				12		
	10,000	2m	M5	9		
				12		
	12,500	1Am	M4	9	4/0.7	
				12		



NOVA BLACKLINE


Double girder trolley up to 20 t

The NOVA BLACKLINE combines safety, quality and reliability.

Moreover, not only is the price highly competitive, but with up to 20 tons of load, the double girder trolley is also created for a wide range of standard requirements.

Reduced to its essential elements, the NOVA BLACKLINE double girder trolley is also based on proven designs and fulfils European safety standards.







- Ultimate load from 2 to 20 tons and a lifting height up to 13 meters
- Fixed trolley rail gauges from 1,200 mm up to 2,400 mm
- Double girder trolley with connection type M (medium)
- Rope reeving 04, 06 and 08
- Mechanical overload protection protects crane and building structure
- Crane control with comfortable radio remote control or controlpendant tethered at the trolley
- 2-step contactor control for hoist and trolley motor



Тур	Rail gauge [mm]	Load [kg]	FEM	ISO	Lifting height [m]	Lifting speed [m/min]	Trolley speed [m/min]
NOVA BB 04	1,200	2,000	2m	M5	6	5/0.8	20/5
					9.5		
		2,500	3m	M6	6		
					9.5		
		3,200	2m	M5	6		
					9.5		
NOVA BC 04		4,000	3m	M6	6	5/0.8	20/5
					9		
	1,200	5,000	2m	M5	6		
	1,200				9		
		6,300	1Am	M4	6		
					9		
NOVA BD 04	1,400	8,000	3m	M6	9	5/0.8	20/5
		10,000	2m	M5	12		
NOVA BD 06	2,000	12,000	3m	M6	10	3.2/0.5	24/6
	2,400				13		
NOVA BD 04	1,400	12,500	1Am	M4	9	4/0.7	20/5
					12		
NOVA BD 06	2,000	15,000	2m	M5	10	3.2/0.5	24/6
	2,400				13		
NOVA BD 08	2,000	16,000	2m	M5	8	2.5/0.4	24/6
	2,400	10,000			10		
	2,000	20,000	1Am	M4	8		
	2,400	20,000			10		



CraneKit BLACKLINE

Single girder overhead bridge crane up to 12,5 t

Our CraneKit BLACKLINE and NOVA BLACKLINE combine power with maximum economic efficiency. Many approved and well-matched components engage each other perfectly

and offer in this way: safety, reliability and cost-optimised solutions for numerous standard applications.

Even the crane operator gets the best protection and accommodation due to the serial radio remote control. All in all our BLACKLINE is an all-round carefree package for easy tasks of load handling.


- Profile main girder or box main girder with adjustable connectivity options at the end carriages
- · Optimised electrical concept, prewired
- Reduced work of assembling because of less working steps
- Trolley power supply with energy chain, minimized headroom compared with flat cable
- Radio remote control with two transmitters, receiver with magnets at the control panel
- Up to 12.5 t load, up to 28 m span
- Inverter controlled crane travelling (MS2) 32/8 m/min, 40/10 m/min as an option

Optionen

- · Hook operated limit switch
- · Visual and acoustic alarm in case of overload
- Trolley limit switch, 2-step
- · Anti-Collision device for crane bridge
- Crane horn
- · Warning light (radio remote control active)
- · Radio remote control RadioMaster3

- Rechargeable batteries with battery charger for the radio remote control
- Storage cabinet for transmitter
- Control pendant, tethered at the hoist trolley
- Back-up pendant, tethered at the control panel
- Buffer extensions for crane end carriages
- Anti-jump catches for crane end carriages





High safety and flexibility for the crane operator



CraneKit BLACKLINE

Double girder overhead bridge crane up to 20 t


The CraneKit BLACKLINE for double girder overhead bridge cranes is designed for high loads up to 20 tons. It provides perfectly matched components that go hand in hand and guarantee a dependable interaction.

The BLACKLINE is based on proven designs and combines this with modern elements.

So the CraneKit for double girder overhead bridge cranes contains for the trolley power supply, for example, an energy chain between the main girders and a comfortable radio remote control.

- Trolley power supply with energy chain, fixed on the inner side between the two main girders
- Crane control panel space optimized fixed on the end carriage between the two main girders
- Crane control with comfortable radio remote control or control pendant tethered at the hoist trolley
- For loads up to 20 t, up to 28 m span
- End carriages with two wheels, one driven by electric travelling machinery
- Inverter controlled crane travelling (MS2) 32/8 m/min, 40/10 m/min as an option
- For indoor use from +5°C up to +40° C





Optionen

- · Hook operated limit switch
- · Visual and acoustic alarm in case of overload
- Trolley limit switch, 2-step
- · Anti-Collision device for crane bridge
- Crane horn
- Warning light (radio remote control active)
- Radio remote control RadioMaster3

- Rechargeable batteries with battery charger for the radio remote control
- Storage cabinet for transmitter
- Control pendant, tethered at the hoist trolley
- Back-up pendant, tethered at the control panel
- Buffer extensions for crane end carriages
- · Anti-jump catches for crane end carriages
- · Anti-jump catches for double girder trolley

VINCA EQUIPOS INDUSTRIALES

Black crane kit

CraneKit BLACKLINE

The BLACKLINE idea sets its focus on a construction, which is made for daily work perfectly. There weren't made savings in the wrong place here. Power, quality and safety rank first, simply real SWF.






For a number of standard applications at hoisting and displacing loads BLACKLINE is the safest, most cost-optimised and reliable solution. The narrow configuration frame makes a quick assembly and a darndest compatibility for all components possible.

The work of assembly is minimized by a reduced number of necessary work steps.

Especially the optimized and prewired electrical concept in detail has proved a recipe for an easy and relieved first operation of the BLACKLINE.



Due to compact measurements the headroom of the crane is not affected by this construction.

Moreover there was realized a simplified electrical concept. The receiver of the radio remote control can be fixed by powerful magnets at the outer control panel. The pluggable connections contribute to a quick first operation and easy maintenance.







Energy chain

The BLACKLINE offers a power supply by means of a modern and contemporary energy chain.

Therefore a long-life protection and a perfect cable routing is secured. A minimized number of screws and components allow a quick assembly.

power supply diminishes the attrition and offers also an ideal protection against mechanic damage.

While driving the crane one doesn't have to take into account KLINE. suspended cable loops.



CraneKit

Our CraneKit BLACKLINE with the related electric wire rope hoist NOVA BLACKLINE is a product that shows a perfect functional interaction, factory-provided.

All components are well-conceived and provide always a safe crane operation.

Directly compared with the classical trailing cable the robust The high claim of SWF Krantechnik is also reflected by the accuracy of fit and the manufacturing of quality of each component, for example, the end carriage, the motor or other electrical components of the NOVA and the CraneKit BLAC-



TeleRadio radio remote control

The radio remote control TeleRadio offers the possibility to drive loads from a safe distance. The safety of the crane operator ranks first. You get the BLACKLINE with two transmitters, which belong to the standard equipment. Thereby the BLACKLINE is perfectly forearmed for a reliable and permanent control of loads.

The European manufactured steering is enabled by a set of standard batteries with a functional duration up to 100 hours. Optionally, you can also get rechargeable batteries and a corresponding battery charger.

The receiver can be fixed at the crane control panel by powerful magnets easily. In addition to that, pluggable electric connections provide a quick and relieved operation.

- Driving loads from a distance raises the safety of the crane operator
- Serial equipment with two transmitters and a receiver
- With eight 2-step push-buttons and sixteen selectable channels
- Standard batteries (3x1.5 V AAA / LR03) with a functional duration of up to 100 hours (optional rechargeable batteries)
- Up to 300 meters in free space
- Easy assembly of the receiver at the crane control panel (magnetic)










VINCA products

- Bridges crane and gantry cranes
- Jib cranes
- · Hoists and winches
- · Scissor Tables and scissor lifts
- Elevators/Lifts for loads (PLT)
- · Dock levelers
- Moving Dock levelers (RMC)
- Coats Furniture
- Wheel-lok (Vehicle Immobilizer)
- · Safety equipment for docks
- Vacuum lifters VACU-LIFT
- Industrial Manipulators
- Pallet Inverters /Tippers
- Levelers NIVELMATIC
- · Tilters inclinator
- Skips
- · Industrial fans
- Industrial flexible doors, high speed doors
- Cold storage doors
- Fire doors
- Safety gates DOK-GUARDIAN
- Festoon for mobile equipment
- Lifting appliances
- Industrial Radio Controls
- After Sales Service for above equipment





Partner of:





























BARCELONA

Tel 93 635 61 20 Fax 93 635 61 30 info@vinca.es **MADRID**

Tel: (+34) 616 91 69 82 madrid@vinca.es C/ Técnica, 39 Pol. Ind. Torre Bovera 08740 St. Andreu de la Barca BARCELONA

www.vinca.es

VALENCIA

Tel: (+34) 647 817 537 valencia@vinca.es



GALICIA

Tel: (+34) 648 923 832 galicia@vinca.es